



KEY ASPECTS OF CAULIFLOWER GROWING TECHNIQUES

Sulliyeva Suluv Xurramovna

Termez State University, Associate Professor,

Surkhandarya, Uzbekistan

Fazilov Sherzod Musurmonovich

Termez State University, Teacher. Surkhandarya, Uzbekistan

Abstract: This article describes the technology of growing cauliflower, the technologies used from planting to harvesting.

Key words: B rassica oleracea convar, botrytis (L.) Aleph, there is botrytis L, superphosphate, potassium chloride, organic fertilizer, temperature, irrigation, row between them ash tivation and choppy from doing

The primary center of the formation of various forms of cauliflower is Italy, and from there it entered France, England and other European countries. It was grown as an agricultural crop in Germany, Holland, Denmark in the 17th century and began to be cultivated in Russia at the end of the 18th century.

Cauliflower is grown on an area of 400,000 ha worldwide, and the main part of it is in countries such as France, Italy, Great Britain, Holland and India. At present, the production of cauliflower in the world is 4.3-4.5 million tons.

Cauliflower spring-summer and summer-autumn in terms of is grown . In spring and summer when it is planted it will grow rising temperature in the circumstances grows and develops that's it according to cabbage of heads Summer heat until it starts formation for fast cooked varieties choose and in pots grown Plant seedlings in March the first half in the field will be planted . Cauliflower street chats are also early cooked simple to cabbages like is grown , but it is somewhat high-autumn 18-22⁰ C and in conditions of 10-14⁰ C at



night is grown . Street chats 50-60 days in greenhouses is enough . You are free grown seedlings 4-5, in pots cultivated ones and when he takes out seven or eight barks to the field will be planted.

Summer-autumn in deadlines to plant intended seedlings are also in greenhouses is cultivated . In this seeds june of the month in the middle sprinkled in June the middle of August initial days to the fields will be planted. Cauliflower directly to the field from the seed planting it is also possible to grow . Cultivated cabbage street chats open to the ground from planting before , ground preparation need If before soil fertilizers with not satisfied if so , then this to do need Usually gardeners superphosphate , potassium chloride buy they get and mixture they prepare Superphosphate one from the part is taken , to him kal ts iying half is added as well wood ash is also added . And important elements with plant potassium , phosphorus and nitrogen own into received mixture to feed help will give . But of the seed many p spent and his expensive standing because of this method work release conditions not so much hand does n't come Planting before seeds sorted , treated and trace elements in solution is processed . 10 liters for seedlings water contains 2 g acid and 5 g of molybdenum ammonium melting if sprinkled , theirs growth and development standard seedlings out receptivity and productivity positive effect is enough.

Cauliflower mature from plants one it is also in the shadow grows . Cauliflower series between 60-70 cm from and in line bottoms between 30-35 cm from by doing will be planted . Cauliflower fertilizer , especially organic to the fertilizer demanding will be Consequently him in cultivation big normally manure application (50-60 t per hectare) description will be done .

Cauliflower cultivation according to in the south take went from experiences known to the ground organic mineral fertilizers mixed up put at the expense of manure put norm 20-30 t per hectare it is also possible to bring . In this each 3-4 cm per hectare from with ammonia silitra from 5-6 s superphosphate and from 1-2 s potassium salt is put Manure potassium salt and of superphosphate half driving before , saltpeter and of superphosphate the rest part while planting before young of plants growth during addition food as is given Cauliflower development initial during nitrogenous fertilizers with cabbage heads form



start during while nitrogen phosphorus mixture with given , two or three week on average 2-3 times is fed .

Cauliflower heated in greenhouses when grown , his crop of March At the end of is enough . Unheated in greenhouses while open to the soil than 3-4 weeks before is enough. Cauliflower heated in greenhouses winter-spring period in cultivation, his in pots maintained 55-60 days street chats of January the head or in the middle is planted. Cauliflower street chat get for his seed of November in their heads planted. Seedlings rows method 60-70x30-35 cm in sizes copy will be planted. Go chat in the greenhouse in rows in advance prepared and watering soaked into the recesses in hand will be planted. Seedling the first leaf to paragraph was in depth buried will be planted. Seedling from being transferred then, cauliflower until flowering, in the greenhouse the following temperature mode provision necessary: daytime, weather open on days $17\pm 3^{\circ}\text{C}$, cloudy during the day — $14\pm 3^{\circ}\text{C}$, in the evening — $6-8^{\circ}\text{C}$. Weather relative humidity at a high (85-95%) level holding standing up it is necessary Often watered, especially hot in days Cauliflower leaves and of heads formation during soil from 75-80% of humidity decreased to go road not put .

List of used literature:

1. Sullieva S., Zokirov K. Biology of weeds //Scientific Bulletin of Namangan State University. – 2019. – Т. 1. – №. 2. – С. 120-124.
2. Фозилов Ш. М. Периодичность роста и формирования урожая у внутривидовых форм пшеницы //Интернаука. – 2019. – №. 45-1. – С. 18-20.
3. Суллиева С. Х., Зокиров К. Г. Вредные свойства и классификация сорняков //Экономика и социум. – 2020. – №. 9 (76). – С. 319-322.
4. Baxriddinova R. U., Musurmonovich F. S. Soybean-as a source of valuable food //Texas Journal of Multidisciplinary Studies. – 2022. – Т. 6. – С. 165-166.



5. Xurramovna S. S. et al. Use Atlantis Herbicide for Avena Fatua in the Middle of a Wheat Field //International Journal on Integrated Education. – 2023. – Т. 3. – №. 1. – С. 45-47.
6. Normuminovna Q. D., Musurmonovich F. S. Bioecological Properties of Salvia Officinalis L //Texas Journal of Multidisciplinary Studies. – 2022. – Т. 6. – С. 249-252.
7. Musurmonovich F. S., Komiljonovna X. S., Qudrat o'g'li S. A. Some Photosynthetic Indicators of Soybean Varieties //Texas Journal of Multidisciplinary Studies. – 2022. – Т. 5. – С. 255-257.
8. Суллиева С. Х., Зокиров К. Г. Структура урожайности озимой пшеницы при применении гербицидов против сорняков //Экономика и социум. – 2020. – №. 9 (76). – С. 323-326.
9. Sullieva S. X., G'Zokirov Q. The Structure of the Yield of Winter Wheat When Using Herbicides Against Weeds //International Journal on Integrated Education. – 2023. – Т. 3. – №. 11. – С. 37-40.
10. Суллиева С. Х., Бобоева Н. Т., Зокиров К. Г. Виды и сорта хризантем //Экономика и социум. – 2019. – №. 10 (65). – С. 315-317.
11. Суллиева С. Х., Бобоева Н. Т., Зокиров К. Г. Эффективность земли вместе в текущем лечении //Мировая наука. – 2019. – №. 6 (27). – С. 450-452.
12. Sullieva S. et al. Effect of planting time and seedling feeding area on the yield and biochemical composition of leek (*Allium porrum* L.) //BIO Web of Conferences. – EDP Sciences, 2024. – Т. 93. – С. 02006.
13. Sulliyeva S., Zokirov Q. Reproduction plantations of (hippophae) in surhandarya region //Scientific Bulletin of Namangan State University. – 2019. – Т. 1. – №. 2. – С. 148-150.
14. Khurramovna S. et al. Technology of growing zaffaron in the surhandarya area //International journal of discourse on innovation, integration and education. – 2020. – Т. 1. – №. 5. – С. 335-337.
15. Суллиева С. Х. и др. Методология планирования классической работы //Экономика и социум. – 2020. – №. 1 (68). – С. 774-776.



16. Суллиева С. Х. Влияние применения гербицидов против сорных растений на урожайность озимой пшеницы в староорошаемых землях сурхандарьинской области //Актуальные научные исследования в современном мире. – 2016. – №. 11-2. – С. 26-29.
17. Abduvasikov A. et al. The concept of production resources in agricultural sector and their classification in the case of Uzbekistan //Caspian Journal of Environmental Sciences. – 2024. – Т. 22. – №. 2. – С. 477-488.
18. Khurramovna S. S. et al. Economic efficiency of application of herbicides against double and double weeds in autumn wheat field //European Scholar Journal. – 2021. – Т. 2. – №. 7. – С. 74-76.
19. Sulliyeva S. X. et al. BIOLOGIK TA'LIMNING ROLI //Журнал естественных наук. – 2021. – Т. 1. – №. 1.
20. Суллиева С. Бегона ўтларга қарши кураш самарадорлиги //Ж. Ўзбекистон қишлоқ хўжалиги. – 2008. – №. 5.
21. Khalikov B. et al. Effect of planting time and seedling feeding area on leek (*Allium porrum*) plant biometric parameters //BIO Web of Conferences. – EDP Sciences, 2024. – Т. 93. – С. 02020.
22. Zokirov K., Sullieva S. Effect of storage conditions and periods on the quality of watermelon (*Citrullus lanatus*) //E3S Web of Conferences. – EDP Sciences, 2023. – Т. 452. – С. 01016.
23. Ergashovich K. A., Musurmonovich F. S. Some Characteristics Of Transpiration Of Promising Soybean's Varieties //The American Journal of Agriculture and Biomedical Engineering. – 2021. – Т. 3. – №. 05. – С. 28-35.
24. Baxriddinova R. U., Musurmonovich F. S. Distance Learning System in Educational System Instead, and Significance //Texas Journal of Multidisciplinary Studies. – 2023. – Т. 21. – С. 11-13.
25. Fozilov S. Effect of stress factors on some physiological parameters of soybean plant //Science and innovation in the education system. – 2023. – Т. 2. – №. 7. – С. 722-74.



26. Baxriddinova R. U. Methodology For Solving Problems of Food Chains and Ecological Pyramids and Its Significance //Texas Journal of Multidisciplinary Studies. – 2024. – T. 28. – C. 19-22.
27. Fozilov S. The effect of drought on the water regime in the leaves of soybean varieties //Science and innovation in the education system. – 2023. – T. 2. – №. 9. – C. 25-28.
28. Ravshanova U. B. et al. Soya o'zbekistonda oziq-ovqat xavfsizligini ta'minlashning muhim manbai sifatida //Экономика и социум. – 2022. – №. 11-1 (102). – C. 81-84.
29. Musurmonovich F. S. et al. Peculiarities of the intensity of photosynthesis and transpiration of soy leaves //Ann. For. Res. – 2022. – T. 65. – №. 1. – C. 5371-5378.
30. Fozilov S., Ziyodova M. Maktablarda steam texnologiyasini joriy etishning xususiyatlari va afzalliklari //Biologiyaning zamonaviy tendensiyalari: muammolar va yechimlar. – 2023. – T. 1. – №. 5. – C. 819-821.
31. Baxriddinova R. U., Musurmonovich F. S. Maktabda tabiiy fanlar, texnologiya, muhandislik, san'at va matematika fanlarini uyg'unlikda o'qitishning afzalliklari //Nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 4. – C. 259-263.
32. Xayitovna P. M., Faxriddinovich M. S. Types of corn grown in Uzbekistan and their peculiarities //Texas Journal of Agriculture and Biological Sciences. – 2022. – T. 3. – C. 59-63.
33. Musurmonovich F. S., Baxriddinova R. U. Soya barglarida fotosintez va transpiratsiya jadalligining o'ziga xos xususiyatlari // Nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 4. – C. 268-272.
34. Musurmonovich F. S., Baxriddinova R. U. Oqsil taqchilligini ta'minlashda soya o'simligining o'rni //nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 4. – C. 254-258.
35. Baxriddinova R. U., Musurmonovich F. S. Oziq zanjiri va oziq to'ri tuzish // Nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 4. – C. 264-267.



36. Musurmonovich F. S. Bug'doy navlarining gullash fazasida suv almashinuv xususiyatlari //Nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 5. – C. 578-583.
37. Eshonqulov S. S. et al. The effectiveness of explained the content of the subject of hybridization to students in school lessons //Экономика и социум. – 2024. – №. 3-1 (118). – C. 163-168.
38. Musurmonovich F. S. Dorivor mavrakning bioekologiyasining o'ziga xos xususiyatlari //Nazariy va amaliy fanlardagi ustuvor islohotlar va zamonaviy ta'limning innovatsion yo'nalishlari. – 2024. – T. 1. – №. 5. – C. 571-577.